QB Series - BOP

Coupler



Nipple



Features

- Poppet valve
- FKM seals / PTFE Back-up ring
- -Up to 1,300°F (700°C) as per API 16D
- · Connection: Sleeve Retraction
- Disconnection: Sleeve Retraction
- Connect under pressure: Not Allowed

Applications

- · Oil & Gas
- Blow-out preventor systems

Interchange


- ISO 7241 B (BOP)
- Faster HNVFR
- Dixon H BOP
- Snap-Tite 72
- Eaton HKFR

MAX WORKING PRESSURE (PSI)

BODY SIZE	STEEL
3/8″	4,350
1/2″	5,000
3/4"	3,625
1″	4,350




QB Series - BOP



COUPLER

BODY SIZE	THREAD SIZE	STEEL	DIMENSIONS (IN)		
BODT SIZE	THREAD SIZE	SIEEL	Α	В	H1
3/8″	¾″⁻ Female ⁻ NPT	QBC66FP-BOP	2.62	1.34	0.94
1/2"	½"- Female - NPT	QBC88FP-BOP	2.91	1.62	1.18
3/4"	¾" ⁻ Fema l e ⁻ NPT	QBC1212FP-BOP	3.58	2.01	1.42
1"	1" - Female - NPT	QBC1616FP-BOP	4.10	2.33	1.61



NIPPLE

BODY SIZE	BODY SIZE THREAD SIZE STEEL		DIMENSIONS (IN)			
BODT SIZE	THREAD SIZE	SIEEL	С	D	H2	
3/8"	¾″⁻ Fema l e ⁻ NPT	QBN66FP-BOP	1.85	0.76	0.86	
1/2"	½″- Fema l e - NPT	QBN88FP-BOP	2.06	0.92	1.06	
3/4"	¾″⁻ Fema l e ⁻ NPT	QBN1212FP-BOP	2.54	1.26	1.33	
1"	1" - Female - NPT	QBN1616FP-BOP	2.86	1.48	1.61	

FORSAFLEX

Q75 Series - BOP

Coupler



Features

- Poppet valve
- FKM / PTFE Back-up ring
- · Connection: Screw to Connect
- · Disconnection: Unscrew to Disconnect
- · Connect under pressure: Allowed Residual

Nipple



Applications

- · Oil & Gas
- · Blow-out preventor systems


Interchange

- Faster OGVFR
- Snap-Tite 75
- Dixon WS BOP

MAX WORKING PRESSURE (PSI)

BODY SIZE	STEEL
3/4"	5,000
1″	5,000
1-1/4"	5,000
1-1/2"	5,000
2"	5,000

Q75 Series - BOP






COUPLER

BODY SIZE	THREAD SIZE	SIZE STEEL		IENSIONS	(IN)
BODT SIZE	THREAD SIZE	STEEL	A	В	H1
3/4"	¾"⁻ Female ⁻ NPT	Q75C1212FP - BOP	2.84	2.17	1.26
1"	1" - Female - NPT	Q75C1616FP - BOP	3.45	4.15	1.61
1-1/4"	1-¼" - Female - NPT	Q75C2020FP - BOP	4.41	4.65	1.97

DUST CAP FOR COUPLER

BODY SIZE	METAL
3/4"	Q7512DP
1″	Q7516DP
1-1/4"	Q7520DP





NIPPLE

BODY SIZE	THREAD SIZE	QTEE!	DIN	IENSIONS	(IN)
BODT SIZE	THREAD SIZE	STEEL	С	D	H2
3/4"	³¼" - Female - NPT	Q75N1212FP - BOP	3.27	1.74	1.26
1"	1″ ⁻ Female ⁻ NPT	Q75N1616FP - BOP	4.17	2.25	1.61
1-1/4"	1-1/4" - Female - NPT	Q75N2020FP - BOP	5.37	2.62	1.47

DUST CAP FOR NIPPLE

BODY SIZE	METAL
3/4"	Q7512DC
1"	Q7516DC
1-1/4"	Q7520DC

FORSAFLEX