

## CRIMP SLEEVES - CAMLOCKS, COMBINATION NIPPLES, BAUER



**SLEEVE PART NUMBER  
CS-30309**

**CS = CRIMP SLEEVE  
30 = 3" HOSE ID  
309 = 3-9/16" SLEEVE ID**

Hose Size	Part Number	Industry Part Number	Sleeve ID		Sleeve Length	
			in	mm	in	mm
1"	<b>CS-10107</b>	CSX-100128	1.44	36.6	2.29	58.1
1"	<b>CS-10108</b>	CSX-100132	1.50	38.1	2.29	58.1
1"	<b>CS-10109</b>	CSX-100136	1.56	39.6	2.29	58.1
1"	<b>CS-10110</b>	CSX-100140	1.63	41.4	2.29	58.1
1"	<b>CS-10111</b>	CSX-100144	1.69	42.9	2.29	58.1
1"	<b>CS-10112</b>	CSX-100148	1.75	44.4	2.29	58.1
1-1/4"	<b>CS-13113</b>	CSX-125152	1.81	46.0	2.32	58.9
1-1/4"	<b>CS-13114</b>	CSX-125156	1.88	47.8	2.32	58.9
1-1/2"	<b>CS-15200</b>	CSX-150200	2.00	50.8	2.36	60.0
1-1/2"	<b>CS-15201</b>	CSX-150204	2.06	52.3	2.36	60.0
1-1/2"	<b>CS-15202</b>	CSX-150208	2.13	54.1	2.36	60.0
1-1/2"	<b>CS-15203</b>	CSX-150212	2.19	55.6	2.36	60.0
1-1/2"	<b>CS-15204</b>	CSX-150216	2.25	57.2	2.36	60.0
1-1/2"	<b>CS-15205</b>	CSX-150220	2.31	58.7	2.36	60.0
2"	<b>CS-20206</b>	CSX-200224	2.38	60.5	2.76	70.0
2"	<b>CS-20207</b>	CSX-200228	2.44	62.0	2.76	70.0
2"	<b>CS-20208</b>	CSX-200232	2.50	63.5	2.76	70.0
2"	<b>CS-20209</b>	CSX-200236	2.56	65.0	2.76	70.0
2"	<b>CS-20210</b>	CSX-200240	2.63	66.8	2.76	70.0
2"	<b>CS-20211</b>	CSX-200244	2.69	68.3	2.76	70.0
2"	<b>CS-20212</b>	CSX-200248	2.75	69.9	2.76	70.0
2"	<b>CS-20213</b>	CSX-200252	2.81	71.4	2.76	70.0
2"	<b>CS-20214</b>	CSX-200256	2.88	73.2	2.76	70.0
2"	<b>CS-20215</b>	CSX-200260	2.94	74.7	2.76	70.0
2"	<b>CS-20300</b>	CSX-200300	3.00	76.2	2.76	70.0
2-1/2"	<b>CS-25304</b>	CSX-250316	3.25	82.6	3.11	79.0
3"	<b>CS-30305</b>	CSX-300320	3.31	84.1	3.94	100.0
3"	<b>CS-30306</b>	CSX-300324	3.38	85.9	3.94	100.0
3"	<b>CS-30308</b>	CSX-300332	3.50	88.9	3.94	100.0
3"	<b>CS-30309</b>	CSX-300336	3.56	90.4	3.94	100.0
3"	<b>CS-30310</b>	CSX-300340	3.63	92.2	3.94	100.0
3"	<b>CS-30311</b>	CSX-300344	3.69	93.7	3.94	100.0
3"	<b>CS-30312</b>	CSX-300348	3.75	95.3	3.94	100.0
3"	<b>CS-30313</b>	CSX-300352	3.81	96.8	3.94	100.0
3"	<b>CS-30314</b>	CSX-300356	3.88	98.6	3.94	100.0

**For stainless steel add suffix-S4**

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

# Crimp Sleeves & Ferrules

## CRIMP SLEEVES - CAMLOCKS, COMBINATION NIPPLES, BAUER



**SLEEVE PART NUMBER  
CS-30309**

**CS = CRIMP SLEEVE  
30 = 3" HOSE ID  
309 = 3-<sup>9</sup>/<sub>16</sub>" SLEEVE ID**

Hose Size	Part Number	Industry Part Number	Sleeve ID		Sleeve Length	
			in	mm	in	mm
4	<b>CS-40406</b>	CSX-400424	4.00	101.6	3.94	100.0
4	<b>CS-40407</b>	CSX-400428	4.44	112.8	4.17	106.0
4	<b>CS-40408</b>	CSX-400432	4.50	114.3	4.17	106.0
4	<b>CS-40410</b>	CSX-400440	4.63	117.6	4.17	106.0
4	<b>CS-40411</b>	CSX-400444	4.69	119.1	4.17	106.0
4	<b>CS-40412</b>	CSX-400448	4.75	120.7	4.17	106.0
4	<b>CS-40413</b>	CSX-400452	4.81	122.2	4.17	106.0
4	<b>CS-40414</b>	CSX-400456	4.88	124.0	4.17	106.0
4	<b>CS-40415</b>	CSX-400460	4.94	125.5	4.17	106.0
4	<b>CS-40500</b>	CSX-400500	5.00	127.0	4.17	106.0
4	<b>CS-40501</b>	CSX-400504	5.06	128.5	4.17	106.0
6	<b>CS-60607</b>	CSX-600628	6.43	163.3	5.67	144.0
6	<b>CS-60608</b>	CSX-600632	6.50	165.1	5.67	144.0
6	<b>CS-60610</b>	CSX-600640	6.63	168.4	5.67	144.0
6	<b>CS-60612</b>	CSX-600648	6.75	171.5	5.67	144.0
6	<b>CS-60514</b>	CSX-600656	6.88	174.8	5.67	144.0
6	<b>CS-60700</b>	CSX-600700	7.00	177.8	5.67	144.0
6	<b>CS-60702</b>	CSX-600708	7.13	181.1	5.67	144.0
6	<b>CS-60704</b>	CSX-600716	7.25	184.2	5.67	144.0
6	<b>CS-60706</b>	CSX-600724	7.38	187.5	5.67	144.0
8	<b>CS-80808</b>	CSX-800832	8.50	215.9	6.50	165.0
8	<b>CS-80900</b>	CSX-800900	9.00	228.6	6.50	165.0
8	<b>CS-80904</b>	CSX-800916	9.25	235.0	6.50	165.0
8	<b>CS-80912</b>	CSX-800948	9.75	247.7	6.50	165.0
10	<b>CS-1001008</b>	CSX-10001032	10.50	266.7	7.24	184.0
10	<b>CS-1001010</b>	CSX-10001040	10.63	270.0	7.24	184.0
10	<b>CS-1001012</b>	CSX-10001048	10.75	276.4	7.24	184.0
10	<b>CS-1001014</b>	CSX-10001056	10.88	285.8	7.24	184.0
10	<b>CS-1001100</b>	CSX-10001100	11.00	323.9	7.24	184.0
10	<b>CS-1001104</b>	CSX-10001116	11.25	336.6	7.24	184.0
12	<b>CS-1201212</b>	CSX-12001248	12.75	323.9	8.66	220.0
12	<b>CS-1201304</b>	CSX-12001316	13.25	336.6	8.66	220.0
12	<b>CS-1201400</b>	CSX-12001400	14.00	355.6	8.66	220.0

**For stainless steel add suffix-S4**

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

## CRIMP FERRULES - CAMLOCKS, COMBINATION NIPPLES



**FERRULE PART NUMBER  
CF-30313**

**CF = CRIMP FERRULE  
30 = 3" HOSE ID  
313 = 3-<sup>13</sup>/<sub>16</sub>" FERRULE ID**

Hose Size	Part Number	Industry Part Number	Ferrule ID		Ferrule Length	
			in	mm	in	mm
¾	<b>CF-08104</b>	CFX-075112	1.19	30.2	2.14	54.4
1	<b>CF-10108</b>	CFX-100132	1.50	38.1	2.19	58.2
1	<b>CF-10109</b>	CFX-100136	1.56	39.6	2.19	58.2
1	<b>CF-10110</b>	CFX-100140	1.63	41.4	2.19	58.2
1-½	<b>CF-15200</b>	CFX-150200	2.00	50.8	2.36	60.0
1-½	<b>CF-15201</b>	CFX-150204	2.06	52.3	2.36	60.0
1-½	<b>CF-15202</b>	CFX-150208	2.13	54.1	2.36	60.0
1-½	<b>CF-15203</b>	CFX-150212	2.19	55.6	2.36	60.0
2	<b>CF-20209</b>	CFX-200236	2.56	65.0	2.76	70.0
2	<b>CF-20210</b>	CFX-200240	2.63	66.8	2.76	70.0
2	<b>CF-20211</b>	CFX-200244	2.69	68.3	2.76	70.0
2	<b>CF-20212</b>	CFX-200248	2.75	69.9	2.76	70.0
2	<b>CF-20213</b>	CFX-200252	2.81	71.4	2.76	70.0
2	<b>CF-20214</b>	CFX-200256	2.88	73.2	2.76	70.0
2-½	<b>CF-25304</b>	CFX-250316	3.25	82.6	3.11	79.0
3	<b>CF-30309</b>	CFX-300336	3.56	90.4	3.94	100.0
3	<b>CF-30310</b>	CFX-300340	3.63	92.2	3.94	100.0
3	<b>CF-30311</b>	CFX-300344	3.69	93.7	3.94	100.0
3	<b>CF-30312</b>	CFX-300348	3.75	95.3	3.94	100.0
3	<b>CF-30313</b>	CFX-300352	3.81	96.8	3.94	100.0
3	<b>CF-30314</b>	CFX-300356	3.88	98.6	3.94	100.0
3	<b>CF-30315</b>	CFX-300360	3.94	100.1	3.94	100.0
3	<b>CF-30400</b>	CFX-300400	4.00	101.6	3.94	100.0
4	<b>CF-40409</b>	CFX-400436	4.56	115.8	4.17	106.0
4	<b>CF-40410</b>	CFX-400440	4.63	117.6	4.17	106.0
4	<b>CF-40411</b>	CFX-400444	4.69	119.1	4.17	106.0
4	<b>CF-40412</b>	CFX-400448	4.75	120.7	4.17	106.0
4	<b>CF-40413</b>	CFX-400452	4.81	122.2	4.17	106.0
4	<b>CF-40414</b>	CFX-400456	4.88	124.0	4.17	106.0
4	<b>CF-40415</b>	CFX-400460	4.94	125.5	4.17	106.0
4	<b>CF-40500</b>	CFX-400500	5.00	127.0	4.17	106.0
4	<b>CF-40501</b>	CFX-400504	5.06	128.5	4.17	106.0
6	<b>CF-60610</b>	CFX-600640	6.63	168.4	5.67	144.0
6	<b>CF-60612</b>	CFX-600648	6.75	171.5	5.67	144.0
6	<b>CF-60614</b>	CFX-600656	6.88	174.8	5.67	144.0
6	<b>CF-60702</b>	CFX-600708	7.13	181.1	5.67	144.0
6	<b>CF-60704</b>	CFX-600716	7.25	184.2	5.67	144.0
6	<b>CF-60706</b>	CFX-600724	7.38	187.5	5.67	144.0

For stainless steel add suffix-S4

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

## CRIMP FERRULES - GROUND JOINTS (LONG)



FERRULE PART NUMBER

**CF-20213L**

CF = CRIMP FERRULE  
 20 = 2" HOSE ID  
 211 = 2-<sup>1</sup>/<sub>16</sub>" FERRULE ID  
 L = LONG LENGTH

Hose Size	Part Number	Industry Part Number	Sleeve ID		Sleeve Length	
			in	mm	in	mm
2	<b>CF-20211L</b>	CFX-200244L	2.69	68.3	3.41	86.6
2	<b>CF-20212L</b>	CFX-200248L	2.75	69.9	3.41	86.6
2	<b>CF-20213L</b>	CFX-200252L	2.82	71.6	3.41	86.6
3	<b>CF-30311L</b>	CFX-300344L	3.69	93.7	3.94	100.0
3	<b>CF-30312L</b>	CFX-300348L	3.75	95.3	3.94	100.0
3	<b>CF-30313L</b>	CFX-300352L	3.81	96.8	3.94	100.0
3	<b>CF-30314L</b>	CFX-300356L	3.88	98.6	3.94	100.0

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

## BRASS FERRULES



**FERRULE PART NUMBER**  
**BFM-450**

**BFM = BRASS FERRULE**  
**450 = 0.450" FERRULE ID**

Part Number	ID		Length	Pierce Hole	Metal Thickness
	in	mm			
BFM-450	0.450"	11.4	0.718"	0.328"	0.025"
BFM-475	0.475"	12.1	0.718"	0.328"	0.025"
BFM-500	0.500"	12.1	0.718"	0.328"	0.025"
BFM-525	0.525"	13.3	0.718"	0.453"	0.025"
BFM-550	0.550"	14.0	0.718"	0.453"	0.025"
BFM-575	0.575"	14.6	0.968"	0.453"	0.025"
BFM-600	0.600"	15.2	0.968"	0.453"	0.025"
BFM-625	0.625"	15.9	0.968"	0.453"	0.025"
BFM-650	0.650"	16.5	0.968"	0.453"	0.025"
BFM-675	0.675"	17.2	0.968"	0.500"	0.025"
BFM-700	0.700"	17.8	0.968"	0.500"	0.025"
BFM-725	0.725"	18.4	0.968"	0.500"	0.025"
BFM-750	0.750"	19.1	0.968"	0.500"	0.025"
BFM-800	0.800"	20.3	0.968"	0.593"	0.025"
BFM-850	0.850"	21.6	0.968"	0.687"	0.025"
BFM-875	0.875"	22.2	0.968"	0.750"	0.025"
BFM-900	0.900"	22.9	0.968"	0.750"	0.025"
BFM-950	0.950"	24.1	0.968"	0.750"	0.025"
BFM-975	0.975"	24.8	0.968"	0.750"	0.040"
BFM-1000	1.000"	25.4	0.968"	0.875"	0.040"
BFM-1025	1.025"	26.0	0.968"	0.875"	0.040"
BFM-1050	1.050"	26.7	0.968"	0.875"	0.040"
BFM-1075	1.075"	27.3	0.968"	0.875"	0.040"
BFM-1100	1.100"	27.9	0.968"	0.875"	0.040"
BFM-1125	1.125"	28.6	0.968"	0.875"	0.040"
BFM-1150	1.150"	29.2	0.968"	0.875"	0.040"
BFM-1175	1.175"	29.9	0.968"	0.875"	0.040"
BFM-1200	1.200"	30.5	0.968"	0.875"	0.040"
BFM-1250	1.250"	31.8	0.968"	0.875"	0.040"
BFM-1275	1.275"	32.4	0.968"	0.875"	0.040"
BFM-1350	1.350"	34.3	0.968"	0.875"	0.040"

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.