



ECHELON™
SUPPLY AND SERVICE



Rental Catalog

2022



Blue PVC Discharge

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
1½"	300	80	WD10-150
2"	300	70	WD10-200
3"	300	60	WD10-300
4"	300	55	WD10-400
6"	300	50	WD10-600



Green PVC Suction

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
1½"	100	80	WS60-150
2"	100	70	WS60-200
3"	100	60	WS60-300
4"	100	55	WS60-400
6"	100	50	WS60-600



Grey PVC Discharge

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
1½"	300	75	WD12-150
2"	300	120	WD12-200
3"	300	110	WD12-300
4"	300	110	WD12-400
6"	300	35	WD12-600



Clear/White PVC Suction

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
1½"	100	80	WS62-150
2"	100	70	WS62-200
3"	100	60	WS62-300
4"	100	55	WS62-400
6"	100	50	WS62-600



Red/Brown PVC Discharge

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
1½"	300	120	WD13-150
2"	300	120	WD13-200
3"	300	90	WD13-300
4"	300	90	WD13-400
6"	300	75	WD13-600



HD PVC Suction (SR Style)

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
2"	100	100	WS65-200
3"	100	100	WS65-300
4"	100	75	WS65-400
6"	100	70	WS65-600
8"	100	60	WS65-800



Heavy Duty Red/Brown PVC Discharge

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
1½"	300	150	WD14-150
2"	300	150	WD14-200
3"	300	150	WD14-300
4"	300	125	WD14-400
6"	300	115	WD14-600



EDPM Suction - Green (GR) is Standard

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
1½"	100	80	WS80-150
2"	100	70	WS80-200
3"	100	60	WS80-300
4"	100	55	WS80-400
6"	100	50	WS80-600

RD = Blue, BL = Blue, YW = Yellow



Duraflow (Oroflex Style) Discharge

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
2"	200	200	WD20-200
3"	200	175	WD20-300
4"	200	150	WD20-400
6"	200	150	WD20-600
8"	200	150	WD20-800



HD Rubber Water Suction & Discharge

Hose Size	Coil Length	WP	Bulk Hose Part No.
		PSI	
2"	200	200	WS50-200
3"	200	175	WS50-300
4"	200	150	WS50-400
6"	200	150	WS50-600
8"	200	150	WS50-800

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

PVC WATER DISCHARGE ASSEMBLIES



Camlock C X E

Blue PVC Discharge

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	50	80	WD10-150CE50
2"	50	70	WD10-200CE50
3"	50	60	WD10-300CE50
4"	50	55	WD10-400CE50
6"	50	50	WD10-600CE50



NPSH M x F

Blue PVC Discharge

Shank Assembly Part No.
WD10-150MF50
WD10-200MF50
WD10-300MF50
WD10-400MF50
WD10-600MF50



Camlock C X E

Grey PVC Discharge

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	50	75	WD12-150CE50
2"	50	120	WD12-200CE50
3"	50	110	WD12-300CE50
4"	50	110	WD12-400CE50
6"	50	35	WD12-600CE50



NPSH M x F

Grey PVC Discharge

Shank Assembly Part No.
WD12-150MF50
WD12-200MF50
WD12-300MF50
WD12-400MF50
WD12-600MF50



Camlock C X E

Red/Brown PVC Discharge

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	50	120	WD13-150CE50
2"	50	120	WD13-200CE50
3"	50	90	WD13-300CE50
4"	50	90	WD13-400CE50
6"	50	75	WD13-600CE50



NPSH M x F

Red/Brown PVC Discharge

Shank Assembly Part No.
WD13-150MF50
WD13-200MF50
WD13-300MF50
WD13-400MF50
WD13-600MF50



Camlock C X E

Heavy Duty Red/Brown PVC Discharge

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1-½"	50	150	WD14-150CE50
2"	50	150	WD14-200CE50
3"	50	150	WD14-300CE50
4"	50	125	WD14-400CE50
6"	50	115	WD14-600CE50



NPSH M x F

HD Red/Brown PVC Discharge

Shank Assembly Part No.
WD14-150MF50
WD14-200MF50
WD14-300MF50
WD14-400MF50
WD14-600MF50



Camlock C X E

Green PVC Discharge - Phthalate Free

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
2"	50	150	WD15-200CE50
3"	50	150	WD15-300CE50



NPSH M x F

Green PVC Discharge

Shank Assembly Part No.
WD15-200MF50
WD15-300MF50

DURAFLOW WATER DISCHARGE ASSEMBLIES



Camlock C X E

Duraflow (Oroflex Style) Discharge

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	50	200	WD20-150CE50
2"	50	200	WD20-200CE50
3"	50	175	WD20-300CE50
4"	50	150	WD20-400CE50
6"	50	150	WD20-600CE50
8"	50	150	WD20-800CE50-1
8"	50	150	WD20-800CE50-2

-1 = PT Type / -2 = Dixon, Neco Type



Grooved

Duraflow (Oroflex Style) Discharge

Grooved Assembly Part No.
WD20-800GG50
WD20-1000GG50
WD20-1200GG50



Type B

Duraflow (Oroflex Style) Discharge

Hose Size	Length	WP	Bauer - Type B Assembly Part No.
	ft	PSI	
4"	50	150	WD20-400BS50
6"	50	150	WD20-600BS50
8"	50	150	WD20-800BS50
10"	50	150	WD20-1000BS50
12"	50	150	WD20-1200BS50



Type A

Duraflow (Oroflex Style) Discharge

Bauer - Type A Assembly Part No.
WD20-1000BS50-A
WD20-1200BS50-A

RUBBER CHILLER/WATER DISCHARGE ASSEMBLIES



Camlock C X E

HD Rubber Chiller/Water Discharge

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	50	200	WD30-150CE50
2"	50	200	WD30-200CE50
3"	50	175	WD30-300CE50
4"	50	150	WD30-400CE50
6"	50	150	WD30-600CE50



Brass

HD Rubber Chiller/Water Discharge

Brass Camlock Assembly Part No.
WD30-150CE50-BR
WD30-200CE50-BR
WD30-300CE50-BR
WD30-400CE50-BR
WD30-600CE50-BR



Type B

HD Rubber Chiller/Water Discharge

Hose Size	Length	WP	Bauer - Type B Assembly Part No.
	ft	PSI	
4"	50	150	WD30-400BS50
6"	50	150	WD30-600BS50
8"	50	150	WD30-800BS50



Grooved

HD Rubber Chiller/Water Discharge

Grooved Assembly Part No.
WD30-400GG50
WD30-600GG50
WD30-800GG50

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

SINGLE JACKET MILL DISCHARGE ASSEMBLIES



Camlock C X E

Single Jacket Discharge

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	50	150	WD35-150CE50
2"	50	150	WD35-200CE50
3"	50	150	WD35-300CE50
4"	50	150	WD35-400CE50



NPSH M x F

Single Jacket Discharge

Shank Assembly Part No.
WD35-150MF50
WD35-200MF50
WD35-300MF50
WD35-400MF50

DOUBLE JACKET MILL DISCHARGE ASSEMBLIES



Camlock C X E

Double Jacket Discharge

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	50	150	WD38-150CE50
2"	50	150	WD38-200CE50
3"	50	150	WD38-300CE50
4"	50	150	WD38-400CE50



NPSH M x F

Double Jacket Discharge

Shank Assembly Part No.
WD38-150MF50
WD38-200MF50
WD38-300MF50
WD38-400MF50

FORESTRY ASSEMBLIES - UNIVERSAL FORESTRY ENDS



Forestry Assemblies

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	50	250	WD35-150FC50
1½"	100	250	WD35-150FC100

WATER SUCTION ASSEMBLIES



Camlock C X E

Green PVC Suction

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	20	80	WS60-150CE20
2"	20	70	WS60-200CE20
3"	20	60	WS60-300CE20
4"	20	55	WS60-400CE20
6"	20	50	WS60-600CE20



Camlock C x NPT

Green PVC Suction

C x NPT Assembly Part No.
WS60-150CM20
WS60-200CM20
WS60-300CM20
WS60-400CM20
WS60-600CM20



Camlock C X E

Clear/White PVC Suction

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	20	80	WS62-150CE20
2"	20	70	WS62-200CE20
3"	20	60	WS62-300CE20
4"	20	55	WS62-400CE20
6"	20	50	WS62-600CE20



Camlock C x NPT

Clear/White PVC Suction

C x NPT Assembly Part No.
WS62-150CM20
WS62-200CM20
WS62-300CM20
WS62-400CM20
WS62-600CM20



Camlock C X E

Cold Temp PVC Suction

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	20	80	WS64-150CE20
2"	20	70	WS64-200CE20
3"	20	60	WS64-300CE20
4"	20	55	WS64-400CE20



Camlock C x NPT

Cold Temp PVC Suction

C x NPT Assembly Part No.
WS64-150CM20
WS64-200CM20
WS64-300CM20
WS64-400CM20



Camlock C X E

EDPM Suction - Green (GR) is Standard

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
1½"	20	80	WS80-150CE20GR
2"	20	70	WS80-200CE20GR
3"	20	60	WS80-300CE20GR
4"	20	55	WS80-400CE20GR
6"	20	50	WS80-600CE20GR

RD = Red, BL = Blue, YW = Yellow



Camlock C x NPT

EDPM Suction - (GR) Standard

C x NPT Assembly Part No.
WS80-150CM20GR
WS80-200CM20GR
WS80-300CM20GR
WS80-400CM20GR
WS80-600CM20GR

RD = Red, BL = Blue, YW = Yellow

WATER SUCTION ASSEMBLIES



Camlock C X E

HD Rubber Water Suction

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
2"	20	150	WS50-200CE20
3"	20	150	WS50-300CE20
4"	20	150	WS50-400CE20
6"	20	150	WS50-600CE20
8"	20	150	WS50-800CE20-1
8"	20	150	WS50-800CE20-2

-1 = PT Type

-2 = Dixon, Neco Type



Camlock C X NPT

HD Rubber Water Suction

C x NPT Assembly Part No.
WS50-200CM20
WS50-300CM20
WS50-400CM20
WS50-600CM20



Type B

HD Rubber Water Suction

Hose Size	Length	WP	Bauer - Type B Assembly Part No.
	ft	PSI	
4"	20	150	WS50-400BS20
6"	20	150	WS50-600BS20
8"	20	150	WS50-800BS20
10"	10	150	WS50-1000BS10
10"	20	150	WS50-1000BS20
12"	10	150	WS50-1200BS10
12"	20	150	WS50-1200BS20



Type A

HD Rubber Water Suction

Bauer - Type A Assembly Part No.
WS50-1000BS10-A
WS50-1000BS20-A
WS50-1200BS10-A
WS50-1200BS20-A



Fixed x Floating

HD Rubber Water Suction

Hose Size	Length	WP	Fixed x Floating Assembly Part No.
	ft	PSI	
4"	20	150	WS50-400FFL20
6"	20	150	WS50-600FFL20
8"	20	150	WS50-800FFL20
10"	10	150	WS50-1000FFL10
10"	20	150	WS50-1000FFL20
12"	10	150	WS50-1200FFL10
12"	20	150	WS50-1200FFL20



Grooved

HD Rubber Water Suction

Grooved Assembly Part No.
WS50-400GG20
WS50-600GG20
WS50-800GG20
WS50-1000GG10
WS50-1000GG20
WS50-1200GG10
WS50-1200GG20

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

WATER SUCTION ASSEMBLIES



Camlock C X E

HD PVC Suction (SR Style)

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
2"	20	100	WS65-200CE20
3"	20	100	WS65-300CE20
4"	20	75	WS65-400CE20
6"	20	70	WS65-600CE20
8"	20	60	WS65-800CE20-1
8"	20	60	WS65-800CE20-2

-1 = PT Type

-2 = Dixon, Neco Type



Camlock C X NPT

HD PVC Suction (SR Style)

C x NPT Assembly Part No.
WS65-200CM20
WS65-300CM20
WS65-400CM20
WS65-600CM20



Type B

HD PVC Suction (SR Style)

Hose Size	Length	WP	Bauer - Type B Assembly Part No.
	ft	PSI	
4"	20	75	WS65-400BS20
6"	20	70	WS65-600BS20
8"	20	60	WS65-800BS20
10"	20	40	WS65-1000BS20
12"	20	30	WS65-1200BS20



Type A

HD PVC Suction (SR Style)

Bauer - Type A Assembly Part No.
WS65-1000BS20-A
WS65-1200BS20-A

COMPOSITE WATER SUCTION HOSE ASSEMBLIES



Fixed x Floating

Composite Water Hose

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
4"	10	200	CP60-400FFL-10
4"	20	200	CP60-400FFL-20
6"	10	200	CP60-600FFL-10
6"	20	200	CP60-600FFL-20
8"	10	200	CP60-800FFL-10
8"	20	200	CP60-800FFL-20
10"	10	200	CP60-1000FFL-10
10"	20	200	CP60-1000FFL-20
12"	10	200	CP60-1200FFL-10
12"	20	200	CP60-1200FFL-20

METAL WATER SUCTION HOSE ASSEMBLIES



Floating x Floating

Stainless Steel Metal Hose - Double Braid

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
2"	20	865	MHB60-200-20
3"	20	523	MHB60-300-20
4"	20	455	MHB60-400-20
6"	10	320	MHB60-600-10
6"	20	320	MHB60-600-20
8"	10	387	MHB60-800-10
8"	20	387	MHB60-800-20
10"	10	368	MHB60-1000-10
10"	20	368	MHB60-1000-20
12"	10	273	MHB60-1200-10
12"	20	273	MHB60-1200-20

OIL SERVICE S&D



Floating x Floating

Oil Service S&D

Hose Size	Length	WP	Camlock Assembly Part No.
	ft	PSI	
6	10	250	PH60-600-10
6	20	250	PH60-600-20
8	10	250	PH60-800-10
8	20	250	PH60-800-20
10	10	250	PH60-1000-10
10	20	250	PH60-1000-20
12	10	250	PH60-1200-10
12	20	250	PH60-1200-20

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

AIR HOSE



Universal



Dix Lok



Thor



Ground Joints



Ground Joints



NPT x NPT

Jack Hammer Smooth Cover

Color	Hose Size	Fitting A	Fitting B	Length	WP	Part No.
				ft	psi	
Yellow	3/4"	Universal	Universal	50	300	AH15YW-075UU50
Yellow	3/4"	Dix-Lok	Dix-Lok	50	300	AH15YW-075QQ50
Red	3/4"	Universal	Universal	50	300	AH15RD-075UU50
Red	3/4"	Dix-Lok	Dix-Lok	50	300	AH15RD-075QQ50
Yellow	3/4"	Universal	Universal	50	400	AH65-075UU50

Yellow Layflat 300 PSI Assemblies

Hose Size	Fitting A	Fitting B	Length	WP	Part No.
			ft	psi	
3/4"	Universal	Universal	50	300	AH17-075UU50
1"	Universal	Universal	50	300	AH17-100UU50
3/4"	Thor	Thor	50	300	AH17-075PHL50

Contractors Air 300 PSI Assemblies

Hose Size	Fitting A	Fitting B	Length	WP	Part No.
			ft	psi	
2"	Female G-J	Female G-J	50	300	AH67-200FF50

Steel Air 600 PSI Assemblies

Hose Size	Fitting A	Fitting B	Length	WP	Part No.
			ft	psi	
2"	Female G-J	Female G-J	50	600	AH60-200FF50
3"	Female G-J	Female G-J	50	600	AH60-300FF50

EPDM General Purpose - 300

Hose Size	Fitting A	Fitting B	Length	WP	Part No.
			ft	psi	
3/8"	1/4" MNPT	1/4" MNPT	50	300	AH10-038M2525M50
3/8"	1/4" MNPT	1/4" MNPT	100	300	AH10-038M2525M100
3/8"	3/8" MNPT	3/8" MNPT	50	300	AH10-038MM50
3/8"	3/8" MNPT	3/8" MNPT	100	300	AH10-038MM100

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

CAMLOCK - ALUMINUM



	Part A	Part B	Part C	Part D	Part E
Size	Part No.	Part No.	Part No.	Part No.	Part No.
1½"	AL-A150	AL-B150	AL-C150	AL-D150	AL-E150
2"	AL-A200	AL-B200	AL-C200	AL-D200	AL-E200
3"	AL-A300	AL-B300	AL-C300	AL-D300	AL-E300
4"	AL-A400	AL-B400	AL-C400	AL-D400	AL-E400
6"	AL-A600	AL-B600	AL-C600	AL-D600	AL-E600
8"	AL-A800-1	AL-B800-1	AL-C800-1	AL-D800-1	AL-E800-1
8"	AL-A800-2	AL-B800-2	AL-C800-2	AL-D800-2	AL-E800-2

-1 = PT Type / -2 = Dixon, Neco Type



	Part F	Part DP	Part DC	Gasket	Part DA
Size	Part No.	Part No.	Part No.	Part No.	Part No
1½"	AL-F150	AL-DP150	AL-DC150	CGS-150	AL-DA3020
2"	AL-F200	AL-DP200	AL-DC200	CGS-200	AL-DA3040
3"	AL-F300	AL-DP300	AL-DC300	CGS-300	AL-DA4020
4"	AL-F400	AL-DP400	AL-DC400	CGS-400	AL-DA4030
6"	AL-F600	AL-DP600	AL-DC600	CGS-600	AL-DA6040
8"	AL-F800-1	AL-DP800-1	AL-DC800-1	CGS-800-1	--
8"	AL-F800-2	AL-DP800-2	AL-DC800-2	CGS-800-2	--

-1 = PT Type / -2 = Dixon, Neco Type

Flange 150# x Male Camlock



Size	Part No.
2"	AL-FLA200
3"	AL-FLA300
4"	AL-FLA400
6"	AL-FLA600
8"	AL-FLA800

Flange 150# x Female Camlock



Size	Part No.
4"	AL-FLD400
6"	AL-FLD600

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

BAUER - TYPE B



Female Socket x Shank

Size	Part No.
4"	BLSS-400
6"	BLSS-600
8"	BLSS-800
10"	BLSS-1000
12"	BLSS-1200



Male Ball x Shank

Size	Part No.
4"	BLBS-400
6"	BLBS-600
8"	BLBS-800
10"	BLBS-1000
12"	BLBS-1200



Female Socket x Machine Shank (KC)

Size	Part No.
4"	BLSK-400
6"	BLSK-600
8"	BLSK-800



Male Ball x Machine Shank (KC)

Size	Part No.
4"	BLBK-400
6"	BLBK-600
8"	BLBK-800



Female Socket x ANSI Flange

Size	Part No.
4"	BLSFL-400
6"	BLSFL-600
8"	BLSFL-800
10"	BLSFL-1000
12"	BLSFL-1200



Male Ball x ANSI Flange

Size	Part No.
4"	BLBFL-400
6"	BLBFL-600
8"	BLBFL-800
10"	BLBFL-1000
12"	BLBFL-1200



Female Socket x ANSI Flange Reducers

Size	Part No.
6" Flange x 4" Socket	BLRFLS-600400
8" Flange x 6" Socket	BLRFLS-800600
12" Flange x 8" Socket	BLRFLS-1200800



Male Ball x ANSI Flange Reducers

Size	Part No.
6" Flange x 4" Ball	BLRFLB-600400
8" Flange x 6" Ball	BLRFLB-800600
12" Flange x 8" Ball	BLRFLB-1200800

BAUER - TYPE B



Female Socket x Male NPT

Size	Part No.
3"	BLSM-300
4"	BLSM-400
6"	BLSM-600
8"	BLSM-800



Male Ball x Male NPT

Size	Part No.
3"	BLBM-300
4"	BLBM-400
6"	BLBM-600
8"	BLBM-800



Inline T with Male Branch

Size	Part No.
4"	BLTMB-400
6"	BLTMB-600
8"	BLTMB-800



Inline T with Female Branch

Size	Part No.
4"	BLTFB-400
6"	BLTFB-600
8"	BLTFB-800



Male Ball x Female Socket 45°

Size	Part No.
4"	BLEL45-400
6"	BLEL45-600
8"	BLEL45-800
10"	BLEL45-1000
12"	BLEL45-1200



Male Ball x Female Socket 90°

Size	Part No.
4"	BLEL90-400
6"	BLEL90-600
8"	BLEL90-800
10"	BLEL90-1000
12"	BLEL90-1200



Double Male Ball - Y

Size	Part No.
4"	BLYDBS-400
6"	BLYDBS-600
8"	BLYDBS-800
10"	BLYDBS-1000
12"	BLYDBS-1200



Double Female Socket - Y

Size	Part No.
4"	BLYDSB-400
6"	BLYDSB-600
8"	BLYDSB-800
10"	BLYDSB-1000
12"	BLYDSB-1200



Female Socket x Male Ball Reducer

Size	Part No.
6" x 4"	BLRSB-600400
8" x 6"	BLRSB-800600
10" x 8"	BLRSB-1000800
12" x 10"	BLRSB-12001000



Female Socket x Male Ball Increaser

Size	Part No.
6" x 4"	BLISB-400600
8" x 6"	BLISB-600800
10" x 8"	BLISB-8001000
12" x 10"	BLISB-12001000

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

BAUER - TYPE B



Bauer Locking Lever

Size	Part No.
3"	BLL-300
4"	BLL-400
6"	BLL-600
8"	BLL-800
10"	BLL-1000
12"	BLL-1200



Bauer O-Ring

Size	Part No.
3"	BLG-300
4"	BLG-400
6"	BLG-600
8"	BLG-800
10"	BLG-1000
12"	BLG-1200



Female End Cap

Size	Part No.
4"	BLEC-400
6"	BLEC-600
8"	BLEC-800
10"	BLEC-1000
12"	BLEC-1200



Male End Plug

Size	Part No.
4"	BLEP-400
6"	BLEP-600
8"	BLEP-800
10"	BLEP-1000
12"	BLEP-1200



Male Ball x Round Hole Strainer

Size	Part No.
4"	BLMS-400
6"	BLMS-600
8"	BLMS-800
10"	BLMS-1000
12"	BLMS-1200



Male Ball x Sewer Screen

Size	Part No.
8"	BLMSCR-800
10"	BLMSCR-1000
12"	BLMSCR-1200

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

BAUER - TYPE A



Female Socket x Shank

Size	Part No.
10"	BLSS-1000-A
12"	BLSS-1200-A



Male Ball x Shank

Size	Part No.
10"	BLBS-1000-A
12"	BLBS-1200-A



Female Socket x ANSI Flange

Size	Part No.
10"	BLSFL-1000-A
12"	BLSFL-1200-A



Male Ball x ANSI Flange

Size	Part No.
10"	BLBFL-1000-A
12"	BLBFL-1200-A



Male Ball x Female Socket 45°

Size	Part No.
10"	BLEL45-1000-A
12"	BLEL45-1200-A



Male Ball x Female Socket 90°

Size	Part No.
10"	BLEL90-1000-A
12"	BLEL90-1200-A



Female End Cap

Size	Part No.
10"	BLEC-1000-A
12"	BLEC-1200-A



Bauer O-Ring

Size	Part No.
10"	BLG-1000-A
12"	BLG-1200-A



Male End Plug

Size	Part No.
10"	BLEP1000-A
12"	BLEP1200-A

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

UNIVERSAL / CHICAGO COUPLINGS - 150 PSI



	Hose End	Female End	Male End	Triple Connector	Blank End	Gaskets
Size	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
1/2"	UH-050	UF-050	UM-050	--	--	UG-2
3/4"	UH-075	UF-075	UM-075	UT	UB	UG-2
1"	UH-100	UF-100	UM-100	--	--	UG-2
1 1/4"	*UH-125	*UF-125	--	--	--	UG-4
1 1/2"	*UH-150	*UF-150	--	--	--	UG-4
2"	*UH-200	*UF-200	--	--	--	UG-4

*4 Lug

DIX-LOCK QUICK COUPLING - 300 PSI



	Male Head with Hose Shank	Male Head with Male NPT	Male Head with Female NPT	Female Head with Hose Shank	Female Head with Male NPT	Female Head with Female NPT	Gaskets
Size	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
3/8"	QM-2	QM-41	QM-81	QM-21	QM-61	QM-101	QBM-2
1/2"	QM-3	QM-42	QM-82	QM-22	QM-62	QM-102	QBM-2
3/4"	QM-4	QM-43	QM-83	QM-23	QM-63	QM-103	QBM-2
1/2"	QM-33*	QM-66*	--	--	--	--	QBM-2
3/4"	QM-44*	QM-88*	--	--	--	--	QBM-2

*With locking sleeve

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

WATER FITTINGS



	Combination Nipple	Steel Hose Mender	Short Shank Couplings NPSM	Round Hole Strainer	Round Hole x Female Camlock	Square Hole Strainer	Foot Valve
Size	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
1½"	CNT-150	HM-150	CAB-150	RHS-150	RHS-150-FC	SHS-150	FV-150
2"	CNT-200	HM-200	CAB-200	RHS-200	RHS-200-FC	SHS-200	FV-200
3"	CNT-300	HM-300	CAB-300	RHS-300	RHS-300-FC	SHS-300	FV-300
4"	CNT-400	HM-400	CAB-400	RHS-400	RHS-400-FC	SHS-400	FV-400
6"	CNT-600	HM-600	CAB-600	RHS-600	RHS-600-FC	SHS-600	FV-600



	Long Hole Strainer	Fish Hole Strainer
Size	Part No.	Part No.
1½"	LHS-150	--
2"	LHS-200	--
3"	LHS-300	FSH-300
4"	--	FSH-400
6"	--	--

Plastic Fog Nozzle

Part No.	Size	Thread
	in	
FNA-075	¾"	GHT
FNB-075	¾"	NPSH
FNB-100	1"	NPSH
FNC-100	1"	NST
FNB-150	1-½"	NPSH
FNC-150	1-½"	NST
FNB-200	2"	NPSH
FNC-250*	2-½"	NST

*Comes with handles.

Brass CSA - Full Port

Size	Part No.	W.P. PSI
¼"	BV-025BRN	600
⅜"	BV-038BRN	600
½"	BV-050BRN	600
¾"	BV-075BRN	600
1"	BV-100BRN	600
1¼"	BV-125BRN	600
1½"	BV-150BRN	600
2"	BV-200BRN	600
2½"	BV-250BRN	400
3"	BV-300BRN	400
4"	BV-400BRN	400

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

GROUND JOINTS



	Female Hose Stem	Low Profile Wing Nut	Wing Nut	Female Spud	Male Spud	Double Spud	Male Stem
Size	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
2"	GJS-200	GJWN-200-LP	GJWN-200	GJFS-200	GJMS-200	GJDS-200	GJM-200
3"	GJS-300	--	GJWN-300	GJFS-300	GJMS-300	GJDS-300	GJM-300

BOLT CLAMP



Hose ID	Hose OD Min.	Hose OD Max.	Part No.
2"	2.50"	2.78"	BU-29
2"	2.75"	3.06"	B-29
3"	3.50"	3.94"	BU-35
3"	3.81"	4.06"	B-35

BLOCK VALVE



Block Valve - New

Body	Part No.	Crossover No.	Description
1/2"	QBD810FOB	4BD4FH08-58SAE	1/2" NEW BLOCK VALVE X -10 FOB
1/2"	QBD812MJ	4BD4FH08-13/34S	1/2" NEW BLOCK VALVE X -12 MALE JIC
3/4"	QBD1212MJ	4BD4FH12-13/34S	3/4" NEW BLOCK VALVE X -12 MALE JIC
SPARE PARTS - NEW			
3/8"	QBDN6	KIT-4BD-FFH06M	3/8" CARTRIDGE NIPPLE - NEW/OLD
1/2"	QBDN8-N	KIT-4FH08-M	1/2" CARTRIDGE NIPPLE - NEW BLOCK VALVE
3/4"	QBDN12-N	KIT-4FH12-M	3/4" CARTRIDGE NIPPLE - NEW BLOCK VALVE
1/2"	QBDC8-N	KIT-4FH08-F	1/2" CARTRIDGE COUPLER - NEW BLOCK VALVE
3/4"	QBDC12-N	KIT-4FH12-F	3/4" CARTRIDGE COUPLER - NEW BLOCK VALVE

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

WHIP CHECK



Hose End

Hose End



Hose End

Tool End

Part No.	Hose-to-Hose
WHIP-S	Whip Check for Hose ID 1/2" - 1-1/4" hose-to-hose
WHIP-L	Whip Check for Hose ID 1-1/2" - 3" hose-to-hose

Part No.	Hose-to-Tool
WHIP-ST	Whip Check for Hose ID 1/2" - 1-1/4" hose-to-tool
WHIP-LT	Whip Check for Hose ID 1-1/2" - 3" hose-to-tool

WHIP CHECK - NYLON



HH230



HH430

Part #	Length (L)	Maximum Working Pressure (PSI) Recommended for Use on the Following Pipe and Hose Inside Diameters									
		1/4"	1/2"	3/4"	1"	2"	3"	4"	6"	8"	10"
HH130	30"	26,000	6,500	2,900	1,650	400	-	-	-	-	-
HH140	40"	-	-	-	1,650	400	175	100	-	-	-
HH230	30"	52,000	13,000	5,800	3,300	750	-	-	-	-	-
HH244	44"	-	-	-	3,300	750	350	200	-	-	-
HH264	64"	-	-	-	-	750	350	200	90	-	-
HH330	30"	-	29,000	13,000	7,300	1,800	-	-	-	-	-
HH344	44"	-	-	-	7,300	1,800	820	460	-	-	-
HH364	64"	-	-	-	-	1,800	820	460	200	-	-
HH430	30"	-	37,000	16,000	9,400	2,300	-	-	-	-	-
HH444	44"	-	-	-	9,400	2,300	1,040	580	-	-	-
HH464	64"	-	-	-	-	2,300	1,040	580	260	-	-
Round Nylon Whipcheck											
HHS9X8.000	96"	-	-	-	-	-	-	-	-	290	-
HHS12X8.000	96"	-	-	-	-	-	-	-	-	370	230
HHS12X9.500	114"	-	-	-	-	-	-	-	-	370	230

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

PRE-FORMED CLAMPS

Made to slide on hose before tightening.



Carbon Galvanized		
Part No.	Box Qty	Clamp Diameter
P-4	100	1"
P-5	100	1¼"
P-6	100	1½"
P-7	100	1¾"
P-8	100	2"
P-9	100	2¼"
P-10	50	2½"
P-11	50	2¾"
P-12	50	3"
P-14	50	3½"
P-16	25	4"
P-18	25	4½"
P-20	25	5"
P-24	25	6"
P-28	25	7"
P-32	25	8"

PRE-FORMED CLAMP TOOL



HEAVY DUTY T-BOLT CLAMPS

Band & Housing is stainless steel T-Bolt & Nut are zinc plated steel



Part No.	Range (mm)	Range (Inch)
W2-17-19	17 - 19	1 ¹ / ₁₆ - ¾
W2-19-21	19 - 21	¾ - 13 ¹ / ₁₆
W2-21-23	21 - 23	13 ¹ / ₁₆ - 29 ³ / ₃₂
W2-23-25	23 - 25	29 ³ / ₃₂ - 1
W2-25-27	25 - 27	1 - 1 ¹ / ₁₆
W2-27-29	27 - 29	1 ¹ / ₁₆ - 1 ⁵ / ₃₂
W2-29-31	29 - 31	1 ⁵ / ₃₂ - 17 ³ / ₃₂
W2-31-34	31 - 34	17 ³ / ₃₂ - 1 ⁵ / ₁₆
W2-34-37	34 - 37	1 ⁵ / ₁₆ - 17 ¹ / ₁₆
W2-37-40	37 - 40	17 ¹ / ₁₆ - 1 ⁹ / ₁₆
W2-40-43	40 - 43	1 ⁹ / ₁₆ - 1 ¹¹ / ₁₆
W2-43-47	43 - 47	1 ¹¹ / ₁₆ - 1 ²⁷ / ₃₂
W2-47-51	47 - 51	1 ²⁷ / ₃₂ - 2
W2-51-55	51 - 55	2 - 2 ⁵ / ₃₂
W2-55-59	55 - 59	2 ⁵ / ₃₂ - 2 ⁵ / ₁₆
W2-59-63	59 - 63	2 ⁵ / ₁₆ - 2 ¹⁵ / ₃₂
W2-63-68	63 - 68	2 ¹⁵ / ₃₂ - 2 ¹¹ / ₁₆
W2-68-73	68 - 73	2 ¹¹ / ₁₆ - 2 ⁷ / ₈
W2-73-79	73 - 79	2 ⁷ / ₈ - 3 ³ / ₃₂
W2-79-85	79 - 85	3 ³ / ₃₂ - 3 ⁵ / ₁₆
W2-85-91	85 - 91	3 ⁵ / ₁₆ - 3 ⁹ / ₁₆
W2-91-97	91 - 97	3 ⁹ / ₁₆ - 3 ¹³ / ₁₆
W2-97-104	97 - 104	3 ¹³ / ₁₆ - 4 ³ / ₃₂
W2-104-112	104 - 112	4 ³ / ₃₂ - 4 ³ / ₈
W2-112-121	112 - 121	4 ³ / ₈ - 4 ³ / ₄
W2-121-130	121 - 130	4 ³ / ₄ - 5 ¹ / ₈
W2-130-140	130 - 140	5 ¹ / ₈ - 5 ¹ / ₂
W2-140-150	140 - 150	5 ¹ / ₂ - 5 ⁷ / ₈
W2-150-162	150-162	5 ¹ / ₂ - 6 ³ / ₈
W2-162-174	162-174	6 ³ / ₈ - 6 ⁷ / ₈
W2-174-187	174-187	6 ⁷ / ₈ - 7 ³ / ₈
W2-187-200	187-200	7 ³ / ₈ - 7 ⁷ / ₈
W2-200-213	200-213	7 ⁷ / ₈ - 8 ³ / ₈

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

PROPANE



Torch Kits

Part No.	Length	Description
EPVT80A	10 ft	EPVT80 Torch, REG AND 10' Hose Kit
EPVT80B	15 ft	EPVT80 Torch, REG AND 15' Hose Kit
EPVT80C	20 ft	EPVT80 Torch, REG AND 20' Hose Kit



Manifolds

Part No.	Length	Description
EP2CM-1	24"	FPOL X MPOL TEE BLOCK 24" CSA
EP2CM-2	48"	FPOL X MPOL TEE BLOCK 48" CSA
EP3CM-1	24"	FPOL X MPOL CROSS BLOCK (2) - 24"
EP3CM-2	48"	FPOL X MPOL CROSS BLOCK (2) - 48"



Propane and Natural Gas Hose Assemblies

New Part No.	Old Part No.	Description	Ends
LP10B-06FS300	EP48300-6	3/8" x 25' Type I Propane Assembly SAE E/E *	Brass Ends
LP10B-06FS600	EP48600-6	3/8" x 50' Type I Propane Assembly SAE E/E *	Brass Ends
LP10S-08FJ300	EPS73300-8	1/2" x 25' Type I Propane Assembly FJIC E/E *	Steel Ends
LP10S-08FJ600	EPS73600-8	1/2" x 50' Type I Propane Assembly FJIC E/E *	Steel Ends
LP10S-12MP300	EPS52300-12	3/4" x 25' Type I Propane Assembly MNPT E/E *	Steel Ends
LP10S-12MP600	EPS52600-12	3/4" x 50' Type I Propane Assembly MNPT E/E *	Steel Ends
LP10S-16MP300	EPS53300-16	1" x 25' Type I Propane Assembly MNPT E/E *	Steel Ends
LP10S-16MP600	EPS53600-16	1" x 50' Type I Propane Assembly MNPT E/E *	Steel Ends

* Other approved ends available on request.



Propane Regulator

Part No.	Inlet Size	Outlet Size	BTU Rating
EP60X60	1/4" F-NPT	3/8" F-NPT	140,000

CSA PROPANE QUICK DISCONNECTS




Valved Coupler



Nipple



Dust Cap



Dust Plug

Part No.	Size	Part No.	Size	Part No.	Size	Part No.	Size
QPC66FP	3/8"	QPN66FP	3/8"	QP6DC	3/8"	QP6DP	3/8"
QPC88FP	1/2"	QPN88FP	1/2"	QP8DC	1/2"	QP8DP	1/2"
QPC1212FP	3/4"	QPN1212FP	3/4"	QP12DC	3/4"	QP12DP	3/4"
QPC1616FP	1"	QPN1616FP	1"	QP16DC	1"	QP16DP	1"

Comes with plug.

Comes with cap.



Heater Duct (With Silicone Starter Strip) -60°F - 375°F

Part No.	Hose ID	Length	Description
EPJETSOX-12N-12-DE-BLACK	12	12 ft	12"x12' Jetflexlt M/F Pinlock -Storage Strap
EPJETFLEXLT-12N-25-DE-BLACK	12	25 ft	12"x25' Jetflexlt M/F Pinlock -Storage Strap
EPJETSOX-16N-25-DE	16	16 ft	16"x25' Jetflexlt M/F Pinlock -Storage Strap
EPJETSOX-20N-25-DE	20	20 ft	20"x25' Jetflexlt M/F Pinlock -Storage Strap



Heater Duct -65°F - 350°F

Part No.	Hose ID	Length	Description
EP15WK-600	6"	25 ft	6" x 25' Black TPR Enviroduct
EP15WK-800	8"	25 ft	8" x 25' Black TPR Enviroduct
EP15WK-1200	12"	25 ft	12" x 25' Black TPR Enviroduct



Air Conditioning -20°F - 180°F

Part No.	Hose ID	Length	Description
DV20-600	6"	25 ft	6" x 25' White High Polish Ducting
DV20-800	8"	25 ft	8" x 25' White High Polish Ducting
DV20-1200	12"	25 ft	12" x 25' White High Polish Ducting



Air Conditioning -20°F - 180°F

Part No.	Hose ID	Length	Description
DV13-600	6"	25 ft	6" x 25' SD PVC/Polyestor Ducting
DV13-800	8"	25 ft	8" x 25' SD PVC/Polyestor Ducting
DV13-1200	12"	25 ft	12" x 25' SD PVC/Polyestor Ducting
DV18-600	6"	25 ft	6" x 25' HD PVC/Polyestor Ducting
DV18-800	8"	25 ft	8" x 25' HD PVC/Polyestor Ducting
DV18-1200	12"	25 ft	12" x 25' HD PVC/Polyestor Ducting

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

PRESSURE WASH HOSE & ACCESSORIES



Part No.	Description
PW-ST1500	Pressure Wash Gun - 5000 PSI ($\frac{3}{8}$ " FNPT inlet)



Part No.	Description
PW4-06MMS50	$\frac{3}{8}$ " x 50' Black 4,000 PSI Hose Assembly
PW4B-06MMS50	$\frac{3}{8}$ " x 50' Blue 4,000 PSI Hose Assembly
PW4Y-06MMS50	$\frac{3}{8}$ " x 50' Yellow 4,000 PSI Hose Assembly
PW6G-06MMS50	$\frac{3}{8}$ " x 50' Grey 6,000 PSI Hose Assembly



Part No.	Description
PW-6768	24" Insulated Lance - $\frac{1}{4}$ " NPT
PW-6769	36" Insulated Lance - $\frac{1}{4}$ " NPT
PW-6770	48" Insulated Lance - $\frac{1}{4}$ " NPT
PW-6772	80" Insulated Lance - $\frac{1}{4}$ " NPT

Female

Male



Part No.	Description
QD-FPWK	Female Metric Union
QD-FPWK-06FP	Female Metric x $\frac{3}{8}$ " Female NPT
QD-FPWK-06MP	Female Metric x $\frac{3}{8}$ " Male NPT
QD-MPWK	Male Metric Union
QD-MPWK-06FP	Male Metric x $\frac{3}{8}$ " Female NPT
QD-MPWK-06MP	Male Metric x $\frac{3}{8}$ " Male NPT

Coupler

Coupler

Nipple

Nipple



Stainless Steel Straight Through Couplings

Part No.	Description
QSTC44FP-S4	$\frac{1}{4}$ " Coupler x $\frac{1}{4}$ " Female NPT
QSTC66FP-S4	$\frac{3}{8}$ " Coupler x $\frac{3}{8}$ " Female NPT
QSTC88FP-S4	$\frac{1}{2}$ " Coupler x $\frac{1}{2}$ " Female NPT
QSTC44MP-S4	$\frac{1}{4}$ " Coupler x $\frac{1}{4}$ " Male NPT
QSTC66MP-S4	$\frac{3}{8}$ " Coupler x $\frac{3}{8}$ " Male NPT
QSTC88MP-S4	$\frac{1}{2}$ " Coupler x $\frac{1}{2}$ " Male NPT
QSTN44FP-S4	$\frac{1}{4}$ " Nipple x $\frac{1}{4}$ " Female NPT
QSTN66FP-S4	$\frac{3}{8}$ " Nipple x $\frac{3}{8}$ " Female NPT
QSTN88FP-S4	$\frac{1}{2}$ " Nipple x $\frac{1}{2}$ " Female NPT
QSTN44MP-S4	$\frac{1}{4}$ " Nipple x $\frac{1}{4}$ " Male NPT
QSTN66MP-S4	$\frac{3}{8}$ " Nipple x $\frac{3}{8}$ " Male NPT
QSTN88MP-S4	$\frac{1}{2}$ " Nipple x $\frac{1}{2}$ " Male NPT

Red 0° Angle Nozzles for Blasting

Part No.	Colour	Angle	Orifice
PW-1808	Red	0°	4.5
PW-1811	Red	0°	6.0



Yellow 15° Angle Nozzles for Flushing Hard Surfaces

Part No.	Colour	Angle	Orifice
PW-1813	Yellow	15°	4.5
PW-1816	Yellow	15°	6.0



Green 25° Angle Nozzles for Flushing and Wet Sweeping

Part No.	Colour	Angle	Orifice
PW-1818	Green	25°	4.5
PW-1821	Green	25°	6.0



White 40° Angle Nozzles for Washing Soft Surfaces

Part No.	Colour	Angle	Orifice
PW-1823	White	40°	4.5
PW-1826	White	40°	6.0



BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.



- **INDUSTRIAL**

- **COMMERCIAL**

- **HYDRAULIC**

- **MILITARY**



ECHELON
SUPPLY AND SERVICE

Echelon Supply and Service-USA
us.sales@echelonsupply.com
115 Metropolitan Park Drive
Liverpool, NY 13088
Tel: 315 451 2770

Echelon Supply and Service-Canada
ca.sales@echelonsupply.com
1700 McEwen Dr.
Whitby, ON L1N 0A2
Tel: 905-686-4071